






Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	CRI	Base	Size (mm)	Lifetime (hrs)	Packing QTY (pcs/CTN)
G45E 3W	DC12V	3	260/270/290	≥70	E27/E14	A45xB80/85	25000	100
A60E 5W	DC12V	5	420/430/450	≥70	E27	A60xB112	25000	100
FSLA612 9W	DC12V	9	780/790/810	≥80	E27	A60xB113	15000	100
FSLA612 12W	DC12V	12	1020/1050/1080	≥80	E27	A60xB113	15000	100
FSLA616 5W	DC24V	5	380/390/400	≥80	E27	A60xB112	15000	100
FSLA616 9W	DC24V	9	780/790/810	≥80	E27	A60xB113	15000	100
FSLA616 12W	DC24V	12	1020/1050/1080	≥80	E27	A60xB113	15000	100




Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Base	Beam Angle	Size (mm)	Packing QTY (pcs/CTN)
FSLA605 5W	AC220-240V	5	400/410/420	E27/B22	200°	A60xB108	100
FSLA605 7W	AC220-240V	7	470/480/490	E27/B22	200°	A60xB108	100
FSLA605 9W	AC220-240V	9	760/780/800	E27/B22	200°	A60xB108	100
FSLA605 12W	AC220-240V	12	1050/1100/1130	E27/B22	200°	A60xB115	100
FSLA605 15W	AC220-240V	15	1520	E27/B22	180°	A60xB120	100




Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Base	Beam Angle	Size (mm)	Packing QTY (pcs/CTN)
A95CX 18W	AC180-265V	18	1200/1230/1260	E27/B22	180°	A95xB160	50
A120CX 24W	AC180-265V	24	1600/1640/1680	E27/B22	200°	A120xB220	20




Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Base	Size (mm)	Packing QTY (pcs/CTN)
FSLA604 5W	AC90-265V	5	380/390/400	E27/B22	A60xB108	100
FSLA604 7W	AC90-265V	7	540/550/560	E27/B22	A60xB108	100
FSLA604 9W	AC90-265V	9	760/780/800	E27/B22	A60xB108	100
FSLA604 11W	AC90-265V	11	920/940/960	E27/B22	A60xB115	100
FSLA604 13W	AC90-265V	13	1150/1180/1200	E27/B22	A70xB130	100
FSLA604 15W	AC90-265V	15	1200/1250/1300	E27/B22	A70xB130	100
FSLA604 20W	AC90-265V	20	1600/1650/1700	E27/B22	A80xB145	100
FSLA604 25W	AC90-265V	25	2000/2050/2100	E27/B22	A95xB162	100




Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Base	Size (mm)	Packing QTY (pcs/CTN)
G45JX 3W	AC220-240V	3	250/260/280	E27/E14	A45xB82/83	100
G45JX 4W	AC220-240V	4	330/340/350	E27/E14	A45xB82/83	100
G45JX 5.5W	AC220-240V	5.5	460/470/480	E27/E14	A45xB82/83	100
G45J 3W	AC90-265V	3	250/260/270	E27/E14	A45xB82/83	100
G45J 4W	AC90-265V	4	350/360/370	E27/E14	A45xB82/83	100
G45J 5.5W	AC90-265V	5.5	470/480/490	E27/E14	A45xB82/83	100





Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Base	Size (mm)	Packing QTY (pcs/CTN)
G95JX 9W	AC90-265V	9	800/820/830	E27	A95xB143	50
G120JX 12W	AC90-265V	12	1055/1100/1150	E27	A120xB166	50








Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Base	Size (mm)	Packing QTY (pcs/CTN)
A60D 7W	AC220-240V	7	550/580/600	E27	A60xB115	100
A60D 10W	AC220-240V	10	720/760/800	E27	A60xB115	100
A70D 11W	AC220-240V	11	1050/1080/1100	E27	A60xB115	100




Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Base	Size (mm)	Packing QTY (pcs/CTN)
A60TS 4.5W	AC180-265V	4.5	350/380/370	E27	A60xB113	100
A60TS 9W	AC180-265V	9	780/850/800	E27	A60xB113	100




Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Base	Beam Angle	Size (mm)	Packing QTY (pcs/CTN)
FSLA615 9W	AC220-240V	9	800/810/820	E27	160°	A60xB111	100
FSLA614 9W	AC120-240V	9	800/810/820	E27	160°	A60xB111	100
FSLA616 5W	AC180-265V	5	400/430/450	E27	170°	A60xB113	100




Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Base	Size (mm)	Packing QTY (pcs/CTN)
A50JJ 3W	AC220-240V	3	200/230/260	E27	A50xB93	100
A60JJ 5W	AC220-240V	5	320/350/400	E27	A60xB106	100




Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Base	Size (mm)	Packing QTY (pcs/CTN)
FSU150 16W	AC180-265V	16	1150/1200/1300	E27	A150xB110	50
FSU150 22W	AC180-265V	22	1700/1800/1900	E27	A185xB150	30
FSU159 16W	AC90-265V	16	1250/1400/1400	E27	A150xB110	50
FSU159 22W	AC90-265V	22	1750/2000/2000	E27	A185xB150	30



Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Base	Beam Angle	Size (mm)	Packing QTY (pcs/CTN)
FSU161 16W	AC180-265V	16	1150/1200/1250	E27	110°	A150xB88	50
FSU161 22W	AC180-265V	22	1850/1950/2050	E27	110°	A230xB88	30
FSU161 32W	AC180-265V	32	2080/2210/2600	E27	110°	A230xB88	30
FSU169 16W	AC90-265V	16	1150/1280/1280	E27	120°	A150xB88	50
FSU169 22W	AC90-265V	22	1600/1800/1800	E27	120°	A230xB88	30



LED COLOUR BULB



Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Base	Size (mm)	Packing QTY (pcs/CTN)
G45ZD 2W	AC220-240V	2	180/190/200	E27	A45xB72	200



Code	Voltage	Power (W)	Base	Size (mm)	Packing QTY (pcs/CTN)
G45ZD 2W-B	AC220-240V	2	E27	A45xB72	200
G45ZD 2W-R	AC220-240V	2	E27	A45xB72	200
G45ZD 2W-Y	AC220-240V	2	E27	A45xB72	200
G45ZD 2W-G	AC220-240V	2	E27	A45xB72	200
G45ZD 2W-O	AC220-240V	2	E27	A45xB72	200
G45ZD 2W-P	AC220-240V	2	E27	A45xB72	200

