

LED DOWNLIGHT




Features:





- * With high quality SMD chips;
- * Constant current driver, excellent thermal management;
- * Energy saving and long-lasting.


Applications:

Ideal for illumination and decoration at home and public areas.




Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Size (mm)	Cut-out (mm)	Packing QTY (pcs/CTN)
FSP1106 3W	AC180-265V	3	160/170/180	Ø84xA26	Ø75	40
FSP1106A 6W	AC180-265V	6	400/420/450	Ø119xA26	Ø110	40
FSP1106 9W	AC180-265V	9	550/600/650	Ø145xA26	Ø135	40
FSP1106 12W	AC180-265V	12	800/850/900	Ø173xA26	Ø160	30
FSP1106 15W	AC180-265V	15	1050/1100/1150	Ø192xA26	Ø180	30
FSP1106 18W	AC180-265V	18	1350/1400/1450	Ø223xA26	Ø215	30
FSP1106 24W	AC180-265V	24	1800/1900/2000	Ø295xA26	Ø285	15







Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Size (mm)	Cut-out (mm)	Packing QTY (pcs/CTN)
FSP1107 3W	AC180-265V	3	160/170/180	A85xB85xC26	75x75	40
FSP1107 6W	AC180-265V	6	400/420/450	A120xB120xC26	110x110	40
FSP1107 9W	AC180-265V	9	550/600/650	A146xB146xC26	135x135	40
FSP1107 12W	AC180-265V	12	800/850/900	A172xB172xC26	160x160	30
FSP1107 15W	AC180-265V	15	1050/1100/1150	A200xB200xC26	190x190	30
FSP1107 18W	AC180-265V	18	1350/1400/1450	A225xB225xC26	210x210	30
FSP1107 24W	AC180-265V	24	1800/1900/2000	A298xB298xC26	285x285	15




3W




9W




12W




Recessed mounted




Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Size (mm)	Cut-out (mm)	Packing QTY (pcs/CTN)
FSP3033R 3W	AC90-265V	3	130/140/150	Ø85x8	Ø75	40
FSP3033R 6W	AC90-265V	6	330/370/390	Ø119x8	Ø108	40
FSP3033R 9W	AC90-265V	9	500/555/585	Ø145x8	Ø135	40
FSP3033R 12W	AC90-265V	12	715/795/840	Ø170x8	Ø155	30
FSP3033R 15W	AC90-265V	15	955/1065/1125	Ø200x8	Ø175	30
FSP3033R 18W	AC90-265V	18	1225/1365/1440	Ø219x8	Ø205	30
FSP3033R 24W	AC90-265V	24	1735/1935/2040	Ø295x9	Ø285	15




6W




9W




12W




Recessed mounted




Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Size (mm)	Cut-out (mm)	Packing QTY (pcs/CTN)
FSP3033S 3W	AC90-265V	3	130/140/150	90x90x8	75*75	40
FSP3033S 6W	AC90-265V	6	330/370/390	119x119x8	108*108	40
FSP3033S 9W	AC90-265V	9	500/555/585	145x145x8	135*135	40
FSP3033S 12W	AC90-265V	12	715/795/840	170x170x8	155*155	30
FSP3033S 15W	AC90-265V	15	955/1065/1125	200x200x8	175*175	30
FSP3033S 18W	AC90-265V	18	1225/1365/1440	219x219x8	205*205	30
FSP3033S 24W	AC90-265V	24	1735/1935/2040	295x295x9	285*285	15




6W




9W




12W




Recessed mounted




Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Size (mm)	Cut-out (mm)	Packing QTY (pcs/CTN)
FSP814 6W	AC90-265V	6	330/360/390	Ø120xA11	Ø110	60
FSP814 9W	AC90-265V	9	585/612/675	Ø145xA11	Ø130	60
FSP814 12W	AC90-265V	12	816/864/960	Ø170xA11	Ø160	60
FSP814 15W	AC90-265V	15	1020/1080/1200	Ø190xA11	Ø180	30
FSP814 18W	AC90-265V	18	1296/1350/1530	Ø225xA11	Ø210	30
FSP814 24W	AC90-265V	24	1728/1848/2040	Ø300xA11	Ø285	15




6W




12W




18W




Recessed mounted




Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Size (mm)	Cut-out (mm)	Packing QTY (pcs/CTN)
FSP815 6W	AC90-265V	6	330/360/390	A120xB120xC11	Ø110	60
FSP815 9W	AC90-265V	9	585/612/675	A145xB145xC11	Ø130	60
FSP815 12W	AC90-265V	12	816/864/960	A170xB170xC11	Ø160	60
FSP815 15W	AC90-265V	15	1020/1080/1200	A200xB200xC11	Ø180	30
FSP815 18W	AC90-265V	18	1296/1350/1530	A225xB225xC11	Ø210	30
FSP815 24W	AC90-265V	24	1728/1848/2040	A300xB300xC11	Ø285	15




6W



12W




18W




Recessed mounted



Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	CRI	Size (mm)	Packing QTY (pcs/CTN)
FSP3032R 6W	AC90-265V	6	330/370/390	≥80	Ø110xA28	40
FSP3032R 12W	AC90-265V	12	715/795/840	≥80	Ø160xA28	30
FSP3032R 18W	AC90-265V	18	1225/1365/1440	≥80	Ø210xA28	20
FSP3032R 24W	AC90-265V	24	1735/1935/2040	≥80	Ø288xA28	15




18W




Surface mounted




Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	CRI	Size (mm)	Packing QTY (pcs/CTN)
FSP3032S 6W	AC90-265V	6	330/370/390	≥80	A110xB110xC28	40
FSP3032S 12W	AC90-265V	12	715/795/840	≥80	A160xB160xC28	30
FSP3032S 18W	AC90-265V	18	1225/1365/1440	≥80	A210xB210xC28	20
FSP3032S 24W	AC90-265V	24	1735/1935/2040	≥80	A288xB288xC28	15




18W




Surface mounted




Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Size (mm)	Packing QTY (pcs/CTN)
FSP505 12W	AC90-265V	12	850/900/1000	Ø121xA57	30
FSP505 18W	AC90-265V	18	1300/1350/1500	Ø181xA57	30
FSP505 24W	AC90-265V	24	1700/1800/2000	Ø221xA57	30




12W




18W




Surface mounted




Code	Voltage	Power (W)	Lumen(lm) 3000/4000/6500K	Size (mm)	Packing QTY (pcs/CTN)
FSP506 12W	AC90-265V	12	850/900/1000	A122xB122xC57	30
FSP506 18W	AC90-265V	18	1300/1350/1500	A182xB182xC57	30
FSP506 24W	AC90-265V	24	1700/1800/2000	A222xB222xC57	30



12W



18W



Surface mounted